



- Publication List on Biogents Traps-

Scientific studies with Biogents traps and/or attractants, published in peer-reviewed journals.....	2
Book chapters, PhD theses and other journal articles.....	17
Scientific studies with Biogents traps and/or attractants, presented at scientific meetings and congresses	20

Scientific studies with Biogents traps and/or attractants, published in peer-reviewed journals

(Resolve a DOI name at <http://dx.DOI.org/>)

1. Werner D., Kronefeld M., Schaffner F. & Kampen H. (2012) Two invasive mosquito species, *Aedes albopictus* and *Aedes japonicus japonicus*, trapped in south-west Germany, July to August 2011. Euro Surveillance 17(4): pii=20067. Available online: <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=20067>
2. Johnson P.H., Spitzauer V. & Ritchie S.A. (2012) Field Sampling Rate of BG-Sentinel Traps for *Aedes aegypti* (Diptera: Culicidae) in Suburban Cairns, Australia. Journal of Medical Entomology 49(1): 29-34. DOI: 10.1603/ME11116
3. Mercer D.R., Bossin H., Sang M.C., O'Connor L. & Dobson S.L. (2012) Monitoring Temporal Abundance and Spatial Distribution of *Aedes polynesiensis* Using BG-Sentinel Traps in Neighboring Habitats on Raiatea, Society Archipelago, French Polynesia. Journal of Medical Entomology 49(1): 51-60. DOI: 10.1603/ME11087
4. Little E. (2011) Characterizing the Urban Environment of Dengue Mosquitoes in Patillas, Puerto Rico. Tropical Resources 30: 36-42. Available online: http://environment.yale.edu/tri/uploads/TRI_Bulletin_2011_Vol30web.pdf#page=37
5. Harris A.F., Nimmo D., McKemey A.R., Kelly N., Scaife S., Donnelly C.A., Beech C., Petrie W.D. & Alphey L. (2011) Field performance of engineered male mosquitoes. Nature Biotechnology 29: 1034–1037. DOI: 10.1038/nbt.2019
6. Mohammed H. & Smith J. (2011) First Record of *Anopheles albimanus* from St Kitts. West Indian Med J 60(5): 562-563.

7. Barrera R., Amador M. & Mackay A.J. (2011) Population Dynamics of *Aedes aegypti* and Dengue as Influenced by Weather and Human Behavior in San Juan, Puerto Rico. PLoS Neglected Tropical Diseases 5(12): e1387. DOI: 10.1371/journal.pntd.0001378
8. Azil A.H., Li M. & Williams C.R. (2011) Dengue vector surveillance programs: a review of methodological diversity in some endemic and epidemic countries. Asia-Pacific Journal of Public Health 23(6): 827-842. DOI: 10.1177/1010539511426595
9. Little E., Barrera R., Seto K.C. & Diuk-Wasser M. (2011) Co-occurrence Patterns of the Dengue Vector *Aedes aegypti* and *Aedes mediovittatus*, a Dengue Competent Mosquito in Puerto Rico. EcoHealth 7. DOI: 10.1007/s10393-011-0708-8
10. Barrera R. (2011) Spatial Stability of Adult *Aedes aegypti* Populations. American Journal of Tropical Medicine and Hygiene 85(6): 1087-1092. DOI: 10.4269/ajtmh.2011.11-0381
11. Hoffmann A.A., Montgomery B.L., Popovici J., Iturbe-Ormaetxe I., Johnson P.H., Muzzi F., Greenfield M., Durkan M., Leong Y.S., Dong Y., Cook H., Axford J., Callahan A.G., Kenny N., Omodei C., McGraw E.A., Ryan P.A., Ritchie S.A., Turelli M. & O'Neill S.L. (2011) Successful establishment of *Wolbachia* in *Aedes* populations to suppress dengue transmission. Nature 476: 454–457. DOI:10.1038/nature10356
12. Hiwat H., de Rijk M., Andriessen R., Koenraadt C.J. & Takken W. (2011) Evaluation of methods for sampling the malaria vector *Anopheles darlingi* (Diptera, Culicidae) in Suriname and the relation with its biting behavior. Journal of Medical Entomology 48(5): 1039-46. DOI: 10.1603/ME10245
13. Endersby N.M., Hoffmann A.A., White V.L., Ritchie S.A., Johnson P.H. & Weeks A.R. (2011) Changes in the Genetic Structure of *Aedes aegypti* (Diptera: Culicidae) Populations in Queensland, Australia, Across Two

Seasons: Implications for Potential Mosquito Releases. *Journal of Medical Entomology* 48(5): 999-1007. doi: 10.1603/ME10264

14. Hiwat H., Andriessen R., de Rijk M., Koenraadt C.J. & Takken W. (2011) Carbon dioxide baited trap catches do not correlate with human landing collections of *Anopheles aquasalis* in Suriname. *Memórias do Instituto Oswaldo Cruz* Vol. 106(3): 360-364.
DOI: 10.1590/S0074-02762011000300017
15. Marcombe S., Darriet F., Tolosa M., Agnew P., Duchon S., Etienne M., Yp Tcha M.M., Chandre F., Corbel V., Yébakima A. (2011) Pyrethroid Resistance Reduces the Efficacy of Space Sprays for Dengue Control on the Island of Martinique (Caribbean). *PLoS Neglected Tropical Diseases* 5(6): e1202.
DOI:10.1371/journal.pntd.0001202
16. Cilek J.E., Hallmon C.F. & Johnson R. (2011) Semi-Field Comparison of the Bg Lure, Nonanal, and 1-Octen-3-OL to Attract Adult Mosquitoes In Northwestern Florida. *Journal of the American Mosquito Control Association* 27(4): 393-397. DOI: 10.2987/11-6151.1
17. Paz-Soldan V.A., Plasai V., Morrison A.C., Rios-Lopez E.J., Guedez-Gonzales S., Grieco J.P. , Mundal K., Chareonviriyaphap T. & Achee N.L. (2011) Initial Assessment of the Acceptability of a Push-Pull *Aedes aegypti* Control Strategy in Iquitos, Peru and Kanchanaburi, Thailand. *American Journal of Tropical Medicine and Hygiene* 84(2): 208-217. DOI: 10.4269/ajtmh.2011.09-0615
18. Nunn P.V., Reeves W.K. & Utter C.M. (2011) New Records for Micronesian Mosquitoes. *Journal of the American Mosquito Control Association* 27(3): 300-302. DOI: 10.2987/11-6120.1
19. Ritchie S.A., Johnson P.H., Freeman A.J, Odell R.G., Graham N., DeJong P.A., Standfield G.W., Sale R.W. & O'Neill S.L. (2011) A Secure Semi-Field System for the Study of *Aedes aegypti*. *PLoS Neglected Tropical Diseases* 5(3): e988. DOI: 10.1371/journal.pntd.0000988.

20. Tan C.H., Wong P.S., Li M.Z., Tan S.Y., Lee T.K., Pang S.C., Lam-Phua S.G., Maideen N., Png A.B., Koou S.Y., Lu D., Ng L.C. (2011) Entomological investigation and control of a chikungunya cluster in Singapore. *Vector Borne and Zoonotic Diseases* 11(4): 383-90. DOI:10.1089/vbz.2010.0022.
21. Unlu I., Farajollahi A., Healy S.P., Crepeau T, Bartlett-Heals K., Williges E. , Strickman D., Clark G.G., Gauglera R. & Fonseca D.M. (2011) Area-wide management of *Aedes albopictus*: choice of study sites based on geospatial characteristics, socioeconomic factors and mosquito populations. *Pest Management Science* 67: 965-974. DOI: 10.1002/ps.2140
22. Hribar L.J., Leal A.L., DeMay D.J & Tambasco A.N. (2011) Mosquitoes (Insecta: Diptera: Culicidae) of the Florida Keys, Florida, United States of America. *Check List* 7(4): 458-464.
23. Krüger A., Strüven L., Post R.J. & Faulde M. (2011) The sandflies (Diptera: Psychodidae, Phlebotominae) in military camps in northern Afghanistan (2007-2009), as identified by morphology and DNA 'barcoding'. *Annals of Tropical Medicine and Parasitology* 105(2): 163-176.
DOI: 10.1179/136485911X12899838683241
24. Müller G.C., Revay E.E. & Schlein Y. (2011) Relative attraction of the sand fly *Phlebotomus papatasi* to local flowering plants in the Dead Sea region. *Journal of Vector Ecology* 36 Suppl. 1: S178-S194.
DOI: 10.1111/j.1948-7134.2011.00130.x
25. Wise de Valdez M.R., Nimmo D., Betz J., Gong H.F., James A.A., Alphey L., & Black W.C. (2011) Genetic elimination of dengue vector mosquitoes. *PNAS* 108(12): 4772-4775. DOI: 10.1073/pnas.1019295108
26. Hoel D.F., Kline D.L., Hogsette J.A., Bernier U.R., El-Hossary S.S., Hanafi H.A., Watany N., Fawaz E.Y., Furman B.D., Obenauer P.J. & Szumlas D.E. (2010) Efficacy of commercial mosquito traps in capturing phlebotomine sand

flies (Diptera: Psychodidae) in Egypt. *Journal of Medical Entomology* 47(6):1179-84. DOI: 10.1603/ME10144

27. Scholte E.J., Den Hartog W., Dik M., Schoelitsz B., Brooks M, Schaffner F, Foussadier R., Braks M. & Beeuwkes J. (2010) Introduction and control of three invasive mosquito species in the Netherlands, July-October 2010. *Euro Surveillance* 15(45): pii=19710. Available online: <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=19710>
28. Vilela A.P.P, Figueiredo L.B., dos Santos J.R., Eiras Á.E., Bonjardim C.A., Ferreira P.C.P & Kroon E.G. (2010) Dengue Virus 3 Genotype I in *Aedes aegypti* Mosquitoes and Eggs, Brazil, 2005–2006. *Emerging Infectious Diseases* 16(6): 989-992. DOI: 10.3201/eid1606.091000
29. Almeida S.J., Ferreira R.P.M., Eiras A.D., Obermayr R.P. & Geier M. (2010) Multi-agent modeling and simulation of an *Aedes aegypti* mosquito population. *Environ. Model. Softw.* 25(12): 1490-1507. DOI:10.1016/j.envsoft.2010.04.021
30. Azil A.H., Long S.A., Ritchie S.A. & Williams C.R. (2010) The development of predictive tools for pre-emptive dengue vector control: a study of *Aedes aegypti* abundance and meteorological variables in North Queensland, Australia. *Tropical Medicine & International Health* 15(10): 1190-1197. DOI: 10.1111/j.1365-3156.2010.02592
31. Ball T.S. & Ritchie S.R. (2010) Evaluation of BG-Sentinel Trap Trapping Efficacy for *Aedes aegypti* (Diptera: Culicidae) in a Visually Competitive Environment. *Journal of Medical Entomology* 47(4): 657-663. DOI: 10.1603/ME09242
32. Ball T.S. & Ritchie S.R. (2010) Sampling Biases of the BG-Sentinel Trap With Respect to Physiology, Age, and Body Size of Adult *Aedes aegypti* (Diptera: Culicidae). *Journal of Medical Entomology* 47(4): 649-656. DOI: 10.1603/ME09218

33. Obenauer P.J., Kaufman P.E., Kline D.L. & S. A. Allan S.A. (2010) Detection of and Monitoring for *Aedes albopictus* (Diptera: Culicidae) in Suburban and Sylvatic Habitats in North Central Florida using Four Sampling Techniques. *Environmental Entomology* 39(5): 1608-1616.
DOI: 10.1603/EN09322
34. Wise de Valdez M.R., Suchman E.L., Carlson J.O & Black W.C. (2010) A Large Scale Laboratory Cage Trial of *Aedes Densonucleosis* Virus (AeDNV). *Journal of Medical Entomology* 47(3): 392-399. DOI: 10.1603/ME09157
35. Hugo L.E., Cook P.E., Johnson P.H., Rapley L.P., Kay B.H., Ryan P.A., Ritchie S.A., O'Neill S.L. (2010) Field Validation of a Transcriptional Assay for the Prediction of Age of Uncaged *Aedes aegypti* Mosquitoes in Northern Australia. *PLoS Neglected Tropical Diseases* 4(2): e608.
DOI: 10.1371/journal.pntd.0000608
36. Vilela A.P.O, Figueiredo L.B., dos Santos J.T, Eiras Á.E., Bonjardim C.A., Ferreira, P.C.P. & Kroon E.G. (2010) Dengue Virus 3 Genotype I in *Aedes aegypti* Mosquitoes and Eggs, Brazil, 2005–2006. *Emerging Infectious Diseases* 16(6): 889-892.
DOI: 10.3201/eid1606.091000
37. Maciel de Freitas R., Souza-Santos R., Codeço C.T. & Lourenço de Oliveira R. (2010) Influence of the spatial distribution of human hosts and large size containers on the dispersal of the mosquito *Aedes aegypti* within the first gonotrophic cycle. *Medical and Veterinary Entomology* 24(1): 74–82.
DOI: 10.1111/j.1365-2915.2009.00851.x
38. Bhalala H.V., Smith J.D., O'Dea B.A. & Arias J.R. (2010) The efficacy of the BG-Sentinel CO₂ nozzle in collecting host-seeking mosquitoes in Fairfax County, Virginia. *Journal of the American Mosquito Control Association* 26(2): 226-228.
DOI:10.2987/09-5942.1

39. Henry A, Thongsriponga P., Fonseca-Gonzalez I., Jaramillo-Ocampoc N. & Dujardin J.P. (2010) Wing shape of dengue vectors from around the world. *Infection, Genetics and Evolution* 10(2): 207-214.
DOI: 10.1016/j.meegid.2009.12.001
40. Roiz D., Rosà R., Arnoldi D. & Rizzoli A. (2010) Effects of Temperature and Rainfall on the Activity and Dynamics of Host-Seeking *Aedes albopictus* Females in Northern Italy. *Vector-Borne and Zoonotic Diseases* 10.
DOI: 10.1089/vbz.2009.0098
41. Farjollahi A., Kesavaraju B., Price D.C., Williams G.M., Healy S.P., Gaugler R. & Nelder M.P. (2009) Field Efficacy of BG-Sentinel and Industry-Standard Traps for *Aedes albopictus* (Diptera: Culicidae) and West Nile Virus Surveillance. *Journal of Medical Entomology* 46(4): 919-925.
DOI: 10.1603/033.046.0426
42. Jansen C.C., Webb C.E., Graham G.C., Craig S.B., Zborowski P., Ritchie S.A., Russell R.C. & van den Hurk A.F. (2009) Blood sources of mosquitoes collected from urban and peri-urban environments in eastern Australia with species-specific molecular analysis of avian blood meals. *American Journal of Tropical Medicine and Hygiene* 81(5): 849-857.
DOI:10.4269/ajtmh.2009.09-0008
43. David M.R., Lourenço de Oliveira R. & Maciel de Freitas R. (2009) Container productivity, daily survival rates and dispersal of *Aedes aegypti* mosquitoes in a high income dengue epidemic neighbourhood of Rio de Janeiro: presumed influence of differential urban structure on mosquito biology. *Memórias do Instituto Oswaldo Cruz* 104(6): 927-932
DOI: 10.1590/S0074-02762009000600019
44. Chambers E.W., McClintock S.K., Avery M.F., King J.D., Bradley M.H., Schmaedick M.A., Lammie P.J. & Burkot T.R. (2009) Xenomonitoring of *Wuchereria bancrofti* and *Dirofilaria immitis* infections in mosquitoes from American Samoa: trapping considerations and a comparison of polymerase

chain reaction assays with dissection. *American Journal of Tropical Medicine and Hygiene* 80(5): 774-781.

<http://www.ajtmh.org/cgi/reprint/80/5/774>

45. Jeffery J.A.L., Ye N.T., Nam V.S., Nghia L.N., Hoffmann A.A., Kay B.H. & Ryan P.A. (2009) Characterizing the *Aedes aegypti* Population in a Vietnamese Village in Preparation for a *Wolbachia*-Based Mosquito Control Strategy to Eliminate Dengue. *PLoS Neglected Tropical Diseases* 3(11): e552. DOI: 10.1371/journal.pntd.0000552.
46. Rapley L.P., Johnson P.H., Williams C.R., Silcock R.M., Larkman M., Long S.A., Russell R.C. & Ritchie S.A. (2009) A lethal ovitrap-based mass trapping scheme for dengue control in Australia: II. Impact on populations of the mosquito *Aedes aegypti*. *Medical and Veterinary Entomology* 23(4): 303-316. DOI: 10.1111/j.1365-2915.2009.00834.x
47. Ng L.C., Tan L.K., Tan C.H., Tan S.S.Y, Hapuarachchi H.C., Pok K.Y., Lai Y.L., Lam-Phua S.G., Bucht G., Lin R.T.P., Leo Y.S., Tan B.H., Han H.K., Ooi P.L.S., James L. & Khoo S.P. (2009) Entomologic and Virologic Investigation of Chikungunya, Singapore. *Emerging Infectious Diseases* 15(8): 1243–1249. DOI: 10.3201/eid1508.081486
48. Obenauer P.J., Kaufman P.E., Allan S.A. & Kline D.L. (2009) Host-Seeking Height Preferences of *Aedes albopictus* (Diptera: Culicidae) in North Central Florida Suburban and Sylvatic Locales. *Journal of Medical Entomology* 46(4): 900-908. DOI: 10.1603/033.046.0424
49. Pagès F., Peyretitte C.N., Toung Mve M., Jarjaval F., Brisse S., Iteman I., Gravier P., Tolou H., Nkoghe D. & Grandadam M. (2009) *Aedes albopictus* Mosquito: The Main Vector of the 2007 Chikungunya Outbreak in Gabon. *PLoS ONE* 4(3): e4691. DOI:10.1371/journal.pone.0004691

50. Kim K.S , Tsuda Y. & Akio Yamada A. (2009) Bloodmeal Identification and Detection of Avian Malaria Parasite From Mosquitoes (Diptera: Culicidae) Inhabiting Coastal Areas of Tokyo Bay, Japan. *Journal of Medical Entomology* 46(5): 1230-1234.
DOI: 10.1603/033.046.0535
51. Lacroix R., Delatte H., Tue T. & Reiter P. (2009) Dispersal and Survival of Male and Female *Aedes albopictus* (Diptera: Culicidae) on Réunion Island. *Journal of Medical Entomology* 46(5): 1117-1124.
DOI: 10.1603/033.046.0519
52. Akram W. Hafeez F., Ullah U.N., Kim Y.K., Hussain A. & Lee J.J. (2009) Seasonal distribution and species composition of daytime biting mosquitoes. *Entomological Research* 39(2): 107-113.
DOI: 10.1111/j.1748-5967.2009.00204.x
53. Bhalala H. & Arias J.R. (2009) The Zumba mosquito trap and BG-Sentinel trap: Novel surveillance tools for host-seeking mosquitoes. *Journal of the American Mosquito Control Association* 25(2): 134-139.
DOI:10.2987/08-5821.1
54. Lacroix R., Delatte H., Hue T., Dehecq J.S. & Reiter P. (2009) Adaptation of the BG-Sentinel trap to capture male and female *Aedes albopictus* mosquitoes. *Medical and Veterinary Entomology* 23: 160–162.
DOI: 10.1111/j.1365-2915.2009.00806.x
55. Milne M.A., Townsend V.J., Smelser P., Felgenhauer B.E., Moore M.K. & Smyth F.J. (2009) Larval aquatic and terrestrial mites infesting a temperate assemblage of mosquitoes. *Experimental and Applied Acarology* 47(1): 19-33.
DOI: 10.1007/s10493-008-9194-2
56. Kasap O.E., Belen A., Kaynas S., Simsek F.M., Biler L., Ata N. & Alten B. (2009) Activity Patterns of Sand Fly (Diptera: Psychodidae) Species and Comparative Performance of Different Traps in an Endemic Cutaneous

Leishmaniasis Focus in Cukurova Plain, Southern Anatolia, Turkey. *Acta Veterinaria Brno* 78: 327–335.

DOI: 10.2754/avb200978020327

57. Bauer B., Jandowsky A., Schein E., Mehlitz D. & Clausen P.H. (2009) An appraisal of current and new techniques intended to protect bulls against *Culicoides* and other haematophagous nematocera: the case of Schmergow, Brandenburg, Germany. *Parasitology Research* 105(2): 359-65.

DOI: 10.1007/s00436-009-1410-4

58. Vorsprach B., Meiser C.K., Werner D., Balczun C. & Schaub G.A. (2009) Monitoring of Ceratopogonidae in Southwest Germany. *Parasitology Research* 105(2) 337-344.

DOI: 10.1007/s00436-009-1411-3

59. Venter G.J., Labuschagne K., Hermanides K.G., Boikanyo S.N., Majatladi D.M. & Morey L. (2009) Comparison of the efficiency of five suction light traps under field conditions in South Africa for the collection of *Culicoides* species. *Veterinary Parasitology* 166(3-4): 299-307.

DOI:10.1016/j.vetpar.2009.08.020

60. Hoffmann B., Bauer B., Bauer C., Bätza H.J., Beer M., Clausen P.H., Geier M., Gethmann J.M., Kiel E., Liebisch G., Liebisch A., Mehlhorn H., Schaub G.A., Werner W. & Conraths F.J. (2009) Monitoring of Putative Vectors of Bluetongue Virus Serotype 8, Germany. *Emerging Infectious Diseases* 15(9): 1481–1484.

DOI: 10.3201/eid1509.090562

61. Hörbrand Th. & Geier M. (2009) Monitoring of *Culicoides* at nine locations in Southern Germany (2007–2008). *Parasitology Research* 105(2): 387-392.

DOI: 10.1007/s00436-009-1415-z

62. Mehlhorn H., Walldorf V., Klimpel S., Schaub G., Kiel E., Focke R., Liebisch G., Liebisch A., Werner D., Bauer C., Clausen H., Bauer B., Geier M.,

- Hörbrand Th., Bätza H.J., Conraths F.J., Hoffmann B. & Beer M. (2009) Bluetongue disease in Germany (2007-2008): monitoring of entomological aspects. *Parasitology Research* 105(2): 313-319.
DOI: 10.1007/s00436-009-1416-y
63. Kim D.Y., Guzman H., Bueno R. Jr., Dennett J.A., Auguste A.J., Carrington C.V., Popov V.L., Weaver S.C., Beasley D.W. & Tesh R.B. (2009) Characterization of *Culex* Flavivirus (Flaviviridae) strains isolated from mosquitoes in the United States and Trinidad. *Virology* 386(1): 154-159.
DOI: 10.1016/j.virol.2008.12.034.
64. Irish S.R., Chandre F. & N'Guessan R. (2008) Comparison of Octenol- and BG Lure-baited Biogents Sentinel Traps and an Encephalitis Virus Surveillance Trap in Portland, OR. *Journal of the American Mosquito Control Association* 24(3): 393-397.
DOI: 10.2987/5682.1
65. Meeraus W.H., Armistead J.S & Aria J.R. (2008) Field comparison of novel and gold standard traps for collecting *Aedes albopictus* in northern Virginia. *Journal of the American Mosquito Control Association* 24(2): 344-348.
DOI:10.2987/5676.1
66. Schmaedick M.A., Ball T.S., Burkot T.R. & Gurr N.E. (2008) Evaluation of three traps for sampling *Aedes polynesiensis* and other mosquito species in American Samoa. *Journal of the American Mosquito Control Association* 24(2): 319-322.
DOI: 10.2987/5652.1
67. Andrade A.J., Andrade M.R., Dias E.S., Pinto M.C. & Eiras ÁE. (2008) Are light traps baited with kairomones effective in the capture of *Lutzomyia longipalpis* and *Lutzomyia intermedia*? An evaluation of synthetic human odor as an attractant for for phlebotomine sand flies (Diptera: Psychodidae: Phlebotominae). *Memórias do Instituto Oswaldo Cruz* 103(4): 337-43.
DOI: 10.1590/S0074-02762008000400004

68. Schmied W.H., Takken W., Killeen G.F., Knols B.G.J. & Smallegange R.C. (2008) Evaluation of two counterflow traps for testing behaviour-mediating compounds for the malaria vector *Anopheles gambiae* s.s. under semi-field conditions in Tanzania. *Malaria Journal* 7:230-238.
DOI: 10.1186/1475-2875-7-230
69. Maciel-de-Freitas R., Peres R.C., Souza-Santos R. & Lourenço-de-Oliveira R. (2008) Occurrence, productivity and spatial distribution of key-premises in two dengue-endemic areas of Rio de Janeiro and their role in adult *Aedes aegypti* spatial infestation pattern. *Tropical Medicine & International Health* 13(12): 1488–1494. DOI: 10.1111/j.1365-3156.2008.02162.x
70. Morrison A.C., Zielinski-Gutierrez E., Scott T.W. & Rosenberg R. (2008) Defining Challenges and Proposing Solutions for Control of the Virus Vector *Aedes aegypti*. *PLoS Medicine* 5(3): 362-366.
DOI: 10.1371/journal.pmed.0050068
71. Logan J.G & Birkett M.A. (2007) Semiochemicals for biting fly control: their identification and exploitation. *Pest Management Science* 63: 647-657.
DOI: 10.1002/ps.1408
72. Krüger A. & Hagen R.N. (2007) First Record of *Aedes albopictus* in Gabon, Central Africa. *Tropical Medicine and International Health* 12(9): 1105-1107.
DOI: 10.1111/j.1365-3156.2007.01893.x
73. Kawada H., Honda S. & Takagi M. (2007) Comparative Laboratory Study on the Reaction of *Aedes aegypti* and *Aedes albopictus* to Different Attractive Cues in a Mosquito Trap. *Journal of Medical Entomology* 44(3):427-432.
DOI: 10.1603/0022-2585(2007)44[427:CLSOTR]2.0.CO;2

74. Cook P.E., Hugo L.E., Iturbe-Ormaetxe I., Williams C.R., Chenoweth S.F., Ritchie S.A., Ryan P.A., Kay B.H., Blows M.W. & O'Neill S.L. (2007) Predicting the age of mosquitoes using transcriptional profiles. *Nature Protocols* 2(11): 2796-2806.
DOI: 10.1038/nprot.2007.396
75. Williams C.R., Long S.A., Webb C.E., Bitzhenner M., Geier M., Russel R.C. & Ritchie S.A. (2007) *Aedes aegypti* population sampling using BG-Sentinel traps in north Queensland, Australia: statistical considerations for trap deployment and sampling strategy. *Journal of Medical Entomology* 44(2): 345-350.
DOI: 10.1603/0022-2585(2007)44[345:AAPSUB]2.0.CO;2
76. Maciel-de-Freitas R., Codeço C.T. & Lourenço-de-Oliveira R. (2007) Daily survival rate and dispersal of *Aedes aegypti* females in Rio de Janeiro, Brazil. *American Journal of Tropical Medicine and Hygiene* 76(4): 659-655.
<http://www.ajtmh.org/cgi/reprint/79/6/933>
77. Maciel-de-Freitas R., Codeço C.T. & Lourenço-de-Oliveira R. (2007) Body size-associated survival and dispersal rates of *Aedes aegypti* in Rio de Janeiro. *Medical and Veterinary Entomology* 21: 284–292.
DOI: 10.1111/j.1365-2915.2007.00694.x
78. Maciel-de-Freitas R., Eiras Á.E. & Lourenço-de-Oliveira R. (2006) Field evaluation of effectiveness of the BG-Sentinel, a new trap for capturing adult *Aedes aegypti* (Diptera: Culicidae). *Memórias do Instituto Oswaldo Cruz* 101(3): 321-325.
DOI: 10.1590/S0074-02762006000300017
79. Williams C.R., Bergbauer R., Geier M., Kline D.L., Bernier U.R., Russell R.C. & Ritchie S.A. (2006) Laboratory and field assessment of some kairomone blends for host seeking *Aedes aegypti*. *Journal of the American Mosquito Control Association* 22(4): 641-647.
DOI: 10.2987/8756-971X(2006)22[641:LAFAOS]2.0.CO;2

80. Ritchie S.A., Moore P., Carrithers M., Williams C., Montgomery B., Foley P., Ahboo S., van den Hurk A.F., Lindsay M.D., Cooper B., Beebe N. & Russel R.C. (2006) Discovery of a widespread infestation of *Aedes albopictus* in the Torres Strait, Australia. *Journal of the American Mosquito Control Association* 22(3): 358-365.
DOI: 10.2987/8756-971X(2006)22[358:DOAWIO]2.0.CO;2
81. Williams C.R., Long S.A., Russel R.C. & Ritchie S.A. (2006) Field efficacy of the BG-Sentinel compared with CDC backpack aspirators and CO₂-baited EVS traps for collection of adults *Aedes aegypti* in Cairns, Queensland, Australia. *Journal of the American Mosquito Control Association* 22(2): 296-300.
DOI: 10.2987/8756-971X(2006)22[296:FEOTBC]2.0.CO;2
82. Kröckel U., Rose A., Eiras Á.E. & Geier M. (2006) New tools for surveillance of adult yellow fever mosquitoes: Comparison of trap catches with human landing rates in an urban environment. *Journal of the American Mosquito Control Association* 22(2): 229-238.
DOI: 10.2987/8756-971X(2006)22[229:NTFSOA]2.0.CO;2
83. Williams C.R., Ritchie S.A., Russel R.C., Eiras Á.E., Kline D.L. & Geier M. (2006) Geographic variation in attraction to human odor compounds by *Aedes aegypti* mosquitoes (Diptera : Culicidae): A laboratory study. *Journal of Chemical Ecology* 32(8): 1625-1634.
DOI: 10.1007/s10886-006-9097-9
84. Rose A., Kröckel U., Bergbauer R., Geier M. & Eiras Á.E. (2006) Der BG-Sentinel, eine neuartige Stechmückenfalle für Forschung und Überwachung. (The BG-Sentinel, a novel mosquito trap for research and surveillance.) *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 15: 345-348.
85. Küpper S., Schulze S., Maier W.A. & Kampen H. (2006) Beitrag zum Vorkommen und zur Verbreitung von Stechmücken (Diptera: Culicidae) in

Nordrhein-Westfalen mit besonderer Berücksichtigung des Großraums Bonn.
(Contribution to the occurrence and distribution of culicid mosquitoes in
Northrhine-Westphalia with special reference to the greater Bonn area.)
Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte
Entomologie 15: 337-343.

86. Geier M., Rose A., Eiras Á. E. (2004) A new lure for host-seeking
anthropophilic mosquitoes and a novel type of a simple, non-CO₂ mosquito
trap. International Journal of Medical Microbiology 293, Suppl. 38: 50.

87. Eiras Á.E., Rose, A, Geier, M. (2004) New tools for monitoring gravid females
of the mosquitoes *Aedes aegypti* and *Aedes albopictus* (Diptera: Culicidae),
vectors of Dengue and other arboviral diseases. International Journal of
Medical Microbiology 293, Suppl. 38: 51-52.

Book chapters, PhD theses and other journal articles

1. Beeuwkes J., den Hartog W., Dik M. & Scholte E.J. (2011) Surveillance and findings of exotic mosquitoes in used tires in The Netherlands: a methodological approach. In: Bruin J (ed.) Proceedings of the Netherlands Entomological Society Meeting, Volume 22. 31-37. ISBN 978-90-71912-34-4
2. Geier M., Englbrecht Ch. Carey B., Horton S. & Rose A. (2011) Innovative mosquito control: Reducing human landing rates through new innovative mosquito traps. Proceedings of the 23rd Scientific and Educational Seminar DDD and ZUPP 2011. Korunic, Zagreb, Croatia. 121-132. ISBN 978-953-7247-15-7
3. Hribar L.J. (2011) Diptera other than Culicidae captured in the BG-Sentinel mosquito trap. Fly Times 46: 18.
4. Eiras Á.E., Geier M., Rose A. & Jones O. (2010) Practical application of olfactory cues for monitoring and control of *Aedes aegypti* in Brazil: a case study. In: Takken W. & Knols B.G.J (eds.) *Olfaction in vector-host interactions*. Wageningen Academic Publishers. 365-299. ISBN: 978-90-8686-091-3
5. Ball T. (2010) The BG-Sentinel traps as a suitable tool for *Aedes aegypti* surveillance in Far North Queensland, Australia. PhD thesis. James Cook University, Cairns, Australia. <http://eprints.jcu.edu.au/11910/>
6. Evans B.P., Clark J.W. Barbara, K.A., Mundal K.D., Furman B.D., McAvin J.C. & Richradson J.H. (2009) Operational Vector-borne Disease Surveillance and Control: Closing the Capabilities Gap through Research at Overseas Military Laboratories. The Army Medical Department Journal. July-September: 16-27
7. Ferreira Maia M. (2009) Impact of Insecticide-Treated Nets Protecting Cattle in Zero-Grazing Units on Nuisance and Biting Insects in the Forrest of Kumasi, Ghana. Doctoral Thesis, Freie Universität Berlin, Berlin, Germany.

8. Ritchie S.A & Spark R. (2007) Eradication: the only way to control dengue in Australia. Inform'ACTION n° 27.
9. Jones O.T. & Mabbet T.H. (2007) Beating the *Aedes* Mosquito at its Own Game. International Pest Control. November/December: 216-219
10. da Silva Pixão K. (2007) Avaliação do controle químico de adultos de *Aedes (Stegomyia) aegypti* (Linnaeus, 1762) (Diptera: Culicidae) de Fortaleza por meio de métodos convencionais e das armadilhas BG-Sentinel e MosquiTRAP. PhD thesis. Universidade Federal de Minas Gerais, Belo Horizonte, Brazil.
11. Qui Y.T., Spitzen J., Smallegange R.C & Knols B.G.J. (2007) Monitoring systems for adult pests and disease vectors. In: Takken W. & Knols B.G.J.; Emerging pests and vector-borne diseases in Europe. Wageningen Academic Publishers. 329-352. ISBN: 978-90-8686-053-1
12. Geier M., Rose A., Gunewald J. & Jones O. (2006) New mosquito traps improve the monitoring of disease vectors. International Pest Control 48: 124-126.
13. Obermayr R. (2006) Are new trapping technologies useful for mosquito control interventions? Vector Ecology Newsletter 37 (3): 11-12.
14. Molnar Th. (2006) Comparative studies of two trapping systems for mosquito surveillance in Bavaria, Germany. Vector Ecology Newsletter 37 (3): 10-11.
15. Maia M., Bauer B., Mehlitz D. Clausen P.H. Abonusum A., Kruppa T. & May J. (2006) Use of insecticide-treated nets to protect cattle against insects of veterinary and medical importance in Ghana. Bernhard-Nocht-Institut für Tropenmedizin Scientific Report 2004/2005: 86-87.

16. Geier M., Rose A. & Grunewald, J. (2005) Stechmücken-Fallen: Frühwarnsysteme für vektorassoziierte Krankheiten. (Mosquito traps – early warning systems for vector-borne diseases.) *Journal Flug- und Reisemedizin* 45: 12-15.

17. Rose A. & Geier M. (2004) Why it can be useful to attract the enemy: leading mosquitoes around by the nose. In: Fürst W. & Bauernschmitt J. (eds.) *Biotechnology in Bavaria*. Media Mind, Munich, 64 - 68.

Scientific studies with Biogents traps and/or attractants, presented at scientific meetings and congresses

1. Kalan K., Krek M., Zagorsek T., Praprotnik E., Buzan E.V. & Krystugek B. (2011) Monitoring of *Aedes albopictus* in Slovenia. 6th European Mosquito Control Association Workshop, Budapest, Hungary. (Oral Presentaion)
2. Rose A., Geier M., Obermayr U., Huang D.L., Eckelt R., Kant M. & Köckritz A. (2011) On the attractiveness of the products of the catalytic combustion of ethanol to mosquitoes (Diptera: Culicidae). 6th European Mosquito Control Association Workshop, Budapest, Hungary. (Oral Presentaion)
3. E. Favotti E., Guidobaldi F., Jordan V., Campos Soldini M.P., Grancelli L., Vittar F., Martínez-Borda G., Burroni N., Rose A. & P. Guerenstein P. (2010) Evaluation of a new variant of the BG-Sentinel mosquito trap to monitor disease-vector mosquitoes. 1st Latin American Meeting of Chemical Ecology – ALAEQ, Colonia, Uruguay (Poster)
4. Rose A., Englbrecht Ch., Venturelli C., Geier M., Colga N., Müller K. Torracca, B. & Macchioni F. (2010) Sampling the Asian tiger mosquito, *Aedes albopictus*: the BG-Sentinel trap is an interesting alternative to the human landing collection. 17th European SOVE Conference, Wroclaw, Poland. (Poster)
5. Rose A., Englbrecht Ch., Venturelli C., Geier M., Colga N., Müller K. Torracca, B. & Macchioni F. (2010) Can the Asian tiger mosquito, *Aedes albopictus*, be controlled with traps? Results from the evaluation of the BG-Sentinel trap in two Italian cities, Cesena and Montecatini Terme. 17th European SOVE Conference, Wroclaw, Poland. (Oral Presentation)
6. Macchioni F., Torracca B., Magi M., Colga N. Müller K. & Rose A. (2010) Field study on different anti-mosquito treatment methods against *Aedes albopictus* in the urban environment of Montecatini Terme (Italy). XXVI Congresso

Nazionale della Società Italiana di Parassitologia, Perugia, Italy. In:
Parassitologia 52: 223. (Oral Presentation)

7. Jones O. (2009) New Attractants for the Control of Mosquitoes. 2nd Conference on Pheromones, Food Lure, Traps and Biological Control: Alternatives for the 21st Century. Murcia, Spain. (Oral Presentation)
8. Rose A., Englbrecht Ch., Venturelli C., Geier M., Colga N., Müller K. Torracca B. & Macchioni F. (2010) Comparison of sampling methods for the adult Asian tiger mosquito, *Aedes albopictus*. International Conference EDEN / Emerging Vectorborne Diseases in a Changing European Environment, Le Corum, Montpellier, France. (Poster)
9. Englbrecht Ch., Geier M. & Venturelli C.. (2009) Continuous trapping of adult Asian tiger mosquitoes (*Aedes albopictus*) with BG-Sentinel traps reduced the human landing rate and density indices in an urban environment in Cesena, Italy. 5th European Mosquito Control Association Workshop, Turin, Italy. (Oral Presentation)
10. Weiß R., Molnar Th., Hörbrand Th., Geier M. & Rose A. (2009) Remarks on the mosquito fauna of different biotopes in the Regensburg area (Bavaria, Germany): an assessment using two adult trap types, human landing collection, and larval sampling. 5th European Mosquito Control Association Workshop, Turin, Italy. (Poster)
11. Healy S., Farajollahi A., Fonseca D., Gaugler R., Hamilton G. Worobey J., Clark, G, Kline D. Strickman D. & Shepard D. (2009) Area-Wide Management of the Asian Tiger Mosquito - 2008 Project Update. 34th Annual Conference of the Mid-Atlantic Mosquito Control Association, Baltimore, Maryland, USA. (Oral Presentation)
12. Foley K. (2009) The BG-Sentinel Trap. 34th Annual Conference of the Mid-Atlantic Mosquito Control Association, Baltimore, Maryland, USA. (Oral Presentation)

13. Rose A., Geier M., Eiras Á.E., da-Gloria-Teixeira M., das-Gracas-Vale-Barbosa M. & Gomes-Mourao M.P. (2008) Novel mosquito traps in the fight against urban dengue – from monitoring to control. Introduction to a feasibility study in Manaus, Brazil. XXIII International Congress of Entomology, Durban, South Africa. (Poster)
14. Rose A. (2008) The assessment of transmission risk for mosquito-borne diseases: what can we learn for Chikungunya? European Mosquito Control Association Symposium on Chikungunya Risk in Europa – From Nuisance Mosquito Control to Vector Control, Alessandria, Italy. (Oral Presentation)
15. Feltner H. & Ferrao P. (2008) Evaluating Efficacy of the BG Lure Attractant Using Three Mosquito Trap Designs in the City of Alexandria, Virginia. 33rd Annual Conference of the Mid-Atlantic Mosquito Control Association, Baltimore, Maryland, USA. (Oral Presentation)
16. Foley K. (2007) The BG-Sentinel Trap. 60th Annual Meeting of the Virginia Mosquito Control Association. (Oral Presentation)
<http://www.mosquito-va.org/pdfs/2007%20Presentations/The%20BG-Sentinel%20Trap.pdf>
17. Rose A., Siegers, M., Eiras Á.E. & Geier M. (2007) Mosquito traps in the fight against urban dengue – from monitoring to control. 4th European Mosquito Control Association Workshop, Prague, Czech Republic. (Oral Presentation)
18. Solberg V.B., Sithiprasasna R. & Fansiri T. (2007) Efficacy Testing of Eight Unique or Standard Mosquito Surveillance Traps/Methods in Thailand Houses. ESA Annual Meeting, San Diego, CA, USA. (Oral Presentation)
19. Meeraus W., Johnson J & Arias J. (2007) Field Comparison of Novel and Gold Standard Traps for Collecting *Aedes albopictus* in Northern Virginia 32nd Annual Conference of the Mid-Atlantic Mosquito Control Association, Baltimore, Maryland, USA. (Oral Presentation)

20. Meeraus W., Johnson J & Arias J. (2007) Field comparison of novel and industrial standard traps for collecting *Aedes albopictus* in northern Virginia. 73rd Annual Meeting of American Mosquito Control Association. (Poster)
21. Ritchie S.A., Williams C.R. Russel R.C., Geier M. & Eiras Á.E. (2005) An adult approach to *Aedes aegypti* surveillance - We need rapid, relevant sampling methods for *Aedes aegypti*. 4th International Congress of Vector Ecology, Reno, NV, USA. (Poster)
22. Geier M., Kröckel U., Eiras Á.E., Williams C.W., Ritchie S.A. & Rose A. (2005) Human landing rates and trap catches: How representative is a mosquito trap? 4th International Congress of Vector Ecology, Reno, NV, USA. (Oral Presentation)
23. Bitzhenner M., Guaraglia Ch., Geier M., Rose A. and Talbalaghi A. (2005) Evaluation of the BG-Sentinel, a new monitoring trap for mosquitoes, in northern Italy. 4th International Congress of Vector Ecology, Reno, NV, USA. (Poster)
24. Geier M., Rose A., Eiras Á.E. (2004) A new lure for host-seeking anthropophilic mosquitoes and a novel type of a simple, non-CO₂ mosquito trap. 21st Annual Conference of The German Society for Parasitology (*Deutsche Gesellschaft für Parasitologie*), Würzburg, Germany. (Oral Presentaion)
25. Rose A., Eiras Á.E., Geier M. (2004) New Attractants for host-finding mosquitoes & innovative designs for novel non-CO₂ traps, 70th Annual Meeting of the American Mosquito Control Association Meeting, Savannah, USA. (Oral Presentation)
26. Geier M., Rose, A. & Eiras, A.E. (2004) Attractive host odours for mosquitoes: the blend ratio makes the difference. XXII International Congress of Entomology, Brisbane, Australia. (Oral Presentation)

27. Geier M., Rose A., Baptista C., Richie S.A., Kröckel U. & Eiras Á.E. (2004)
Specific monitoring tools for anthropophilic mosquitoes. XXII International
Congress of Entomology, Brisbane, Australia. (Oral Presentation)

28. Geier M., Bosch O., Steib, B., Rose A.M. & Boeckh J. (2002) Odour-Guided
Host Finding of Mosquitoes: Identification of New Attractants on Human Skin.
4th Interational Conference on Urban pests. (Oral Presentation)